



External Data Sources: UWM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LIDAR, National Hydrography Dataset

# High-Resolution Land Cover Summary



\*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.  
\*\*Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.  
See UWM SAL High-Resolution Land Cover 2025 Report for more detail.

# Ricker


Waterbody 250ft Buffer

64 acres  
(Base Land Cover Shown)




## High-Resolution Land Cover Summary

### Base Land Cover (Top-Down\*)



### Supplemental Land Cover


#### Impervious Surfaces (3.98 acres - 6.2 % of total) (Bottom-Up\*\*)




#### Agriculture (0 acres - 0 % of total)

No Agricultural Land Cover Mapped in this Area

#### Wetlands (9.93 acres - 15.5 % of total)




#### Tree Canopy (56.62 acres - 88.5 % of total)



\*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.

\*\*Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.  
See UVM SAL High-Resolution Land Cover 2022 Report for more detail.






External Data Sources: UWM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LIDAR, National Hydrography Dataset


## High-Resolution Land Cover Summary

### Base Land Cover (Top-Down\*)




### Supplemental Land Cover


#### Impervious Surfaces (7.24 acres - 0.8 % of total) (Bottom-Up\*\*)




#### Agriculture (0.03 acres - 0 % of total)



#### Wetlands (416.07 acres - 45.5 % of total)



#### Tree Canopy (628.87 acres - 68.8 % of total)



\*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.

\*\*Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/observed by other features.  
See UWM SAL High-Resolution Land Cover 2015 Report for more detail.

# Ricker


Waterbody 100ft Buffer

27 acres  
(Base Land Cover Shown)




## High-Resolution Land Cover Summary

### Base Land Cover (Top-Down\*)



### Supplemental Land Cover


#### Impervious Surfaces (2.33 acres - 8.6 % of total) (Bottom-Up\*\*)




#### Agriculture (0 acres - 0 % of total)

No Agricultural Land Cover Mapped in this Area


#### Wetlands (3.63 acres - 13.5 % of total)



#### Tree Canopy (22.16 acres - 82.1 % of total)









# High-Resolution Land Cover Summary

## Base Land Cover (Top-Down\*)




## Supplemental Land Cover


### Impervious Surfaces (109.05 acres - 0.8 % of total) (Bottom-Up\*\*)




### Agriculture (0.3 acres - 0 % of total)



### Wetlands (2,219.1 acres - 16 % of total)



### Tree Canopy (12,554.47 acres - 90.7 % of total)



\*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.  
\*\*Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.  
See UWM SAL High-Resolution Land Cover 2015 Report for more detail.